

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S80	157	("370"/\$.CCLS.) AND (((maintain\$4 OR preserv \$4 OR sustain\$6 OR hold \$4 OR keep) NEAR3 ((ip OR network\$4) NEAR address)) SAME (movement OR mov\$4 OR mobile OR handoff OR (hand\$4 NEAR off) OR handover OR (hand\$4 NEAR over))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:28
S81	0	("370"/\$.CCLS.) AND (((maintain\$4 OR preserv \$4 OR sustain\$6 OR hold \$4 OR keep) NEAR3 ((ip OR network\$4) NEAR address)) SAME (confirm \$6 WITH (new NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap)))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:32
S82	40	("370"/\$.CCLS.) AND (confirm\$6 WITH ((new OR second\$4) NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap)))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:33
S83	7	("370"/\$.CCLS.) AND (((confirm\$6) NEAR (message OR packet OR frame OR segment OR pdu)) WITH ((new OR second\$4) NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap)))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:35

S84	0	("370"/\$.CCLS.) AND (((confirm\$6) NEAR (message OR packet OR frame OR segment OR pdu)) NEAR3 ((ip OR network\$4) NEAR address \$4)) WITH ((new OR second\$4) NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:39
S85	0	("370"/\$.CCLS.) AND (((confirm\$6 OR affirm \$6) NEAR3 (message OR packet OR frame OR segment OR pdu)) NEAR3 ((ip OR network\$4) NEAR address\$4)) WITH ((new OR second\$4) NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:40
S86	0	("370"/\$.CCLS.) AND (((confirm\$6 OR affirm \$6) NEAR3 (message OR packet OR frame OR segment OR pdu)) NEAR3 ((ip OR network\$4) NEAR address\$4)) SAME ((new OR second\$4) NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:40
S87	0	("455"/\$.CCLS.) AND (((confirm\$6 OR affirm \$6) NEAR3 (message OR packet OR frame OR segment OR pdu)) NEAR3 ((ip OR network\$4) NEAR address\$4)) SAME ((new OR second\$4) NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:41

S88	0	("455"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 ((ip OR network\$4) NEAR address\$4)) SAME ((new OR second\$4) NEAR ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:41
S89	0	("455"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 ((ip OR network\$4) NEAR address\$4)) SAME ((new OR second\$4) NEAR2 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:42
S90	1	("370"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 ((ip OR network\$4) NEAR address\$4)) SAME ((new OR second\$4) NEAR2 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:42
S91	4	("370"/\$.CCLS.) AND (((ip OR network\$4) NEAR address\$4) NEAR3 ((aquir \$4 OR attain\$6 OR obtain \$4 OR receiv\$4 OR get\$4) NEAR3 (old OR first) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:55
S92	10	("370"/\$.CCLS.) AND (((ip OR network\$4) NEAR address\$4) NEAR3 (aquir \$4 OR attain\$6 OR obtain \$4 OR receiv\$4 OR get\$4) NEAR3 (old OR first OR previous OR former OR past OR preced\$4 OR earlier OR prior) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap)) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 10:58

S93	4	("455"/\$.CCLS.) AND (((ip OR network\$4) NEAR address\$4) NEAR3 (acquir \$4 OR attain\$6 OR obtain \$4 OR receiv\$4 OR get\$4) NEAR3 (old OR first OR previous OR former OR past OR preced\$4 OR earlier OR prior) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap)) AND @ad<"20021009"	US-PGPUB; USPAT	OR	ON	2008/06/30 10:59
S94	631	("370"/\$.CCLS.) AND ((maintain\$4 OR preserv \$4 OR sustain\$6 OR hold \$4 OR keep OR permanent \$4) NEAR2 ((ip OR network \$4) NEAR address)) AND @ad<"20021009"	US-PGPUB; USPAT	OR	ON	2008/06/30 11:03
S95	387	("370"/\$.CCLS.) AND ((maintain\$4 OR preserv \$4 OR sustain\$6 OR hold \$4 OR keep OR permanent \$4) NEAR ((ip OR network \$4) NEAR address)) AND @ad<"20021009"	US-PGPUB; USPAT	OR	ON	2008/06/30 11:03
S96	117	("370"/\$.CCLS.) AND (((maintain\$4 OR preserv \$4 OR sustain\$6 OR hold \$4 OR keep) NEAR3 ((ip OR network\$4) NEAR address)) WITH (movement OR mov\$4 OR mobile OR handoff OR (hand\$4 NEAR off) OR handover OR (hand\$4 NEAR over))) AND @ad<"20021009"	US-PGPUB; USPAT	OR	ON	2008/06/30 11:03
S97	34	("370"/\$.CCLS.) AND (((maintain\$4 OR preserv \$4 OR sustain\$6 OR hold \$4 OR keep) NEAR3 ((ip OR network\$4) NEAR address)) WITH (movement OR mov\$4 OR handoff OR (hand\$4 NEAR off) OR handover OR (hand \$4 NEAR over))) AND @ad<"20021009"	US-PGPUB; USPAT	OR	ON	2008/06/30 11:04

S98	1	("370"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 (address\$4)) SAME ((new OR second\$4) NEAR2 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:33
S99	1	("370"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 (address\$4)) SAME ((new OR second\$4) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:34
S100	4	("455"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 (address\$4)) SAME ((new OR second\$4) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:34
S101	1	("370"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 (id OR identification OR identity)) SAME ((new OR second \$4) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:36
S102	3	("455"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 (id OR identification OR identity)) SAME ((new OR second \$4) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:38
S103	0	("370"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 (profile)) SAME ((new OR second\$4) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:41

S104	0	("455"/\$.CCLS.) AND (((confirm\$6 OR affirm\$6) NEAR3 (profile)) SAME ((new OR second\$4) NEAR3 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:41
S105	11	("370"/\$.CCLS.) AND (((mobile OR terminal OR ms OR user OR client) NEAR2 ((send\$4 OR forward\$4 OR transmi\$6) NEAR2 address)) WITH ((new OR second\$4) NEAR2 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:49
S106	6	("455"/\$.CCLS.) AND (((mobile OR terminal OR ms OR user OR client) NEAR2 ((send\$4 OR forward\$4 OR transmi\$6) NEAR2 address)) WITH ((new OR second\$4) NEAR2 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:55
S107	2	("370"/\$.CCLS.) AND (((mobile OR terminal OR ms OR user OR client) NEAR2 ((send\$4 OR forward\$4 OR transmi\$6) NEAR2 (id OR identification OR profile))) WITH ((new OR second \$4) NEAR2 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 11:57

S108	8	("455"/\$.CCLS.) AND (((mobile OR terminal OR ms OR user OR client) NEAR2 ((send\$4 OR forward\$4 OR transmi\$6) NEAR2 (id OR identification OR profile))) WITH ((new OR second \$4) NEAR2 ((base NEAR station) OR bs OR (access NEAR point) OR ap))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 12:01
S109	321	("370"/\$.CCLS.) AND (((mobile OR terminal OR ms OR user OR client) NEAR2 ((send\$4 OR forward\$4 OR transmi\$6) NEAR2 (address OR id OR identification OR profile))) WITH (movement OR mov \$4 OR mobile OR handoff OR (hand\$4 NEAR off) OR handover OR (hand\$4 NEAR over))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 12:05
S110	50	("370"/\$.CCLS.) AND (((mobile OR terminal OR ms OR user OR client) NEAR2 ((send\$4 OR forward\$4 OR transmi\$6) NEAR2 (address OR id OR identification OR profile))) WITH (movement OR mov \$4 OR handoff OR (hand \$4 NEAR off) OR handover OR (hand\$4 NEAR over))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 12:19
S111	42	("455"/\$.CCLS.) AND (((mobile OR terminal OR ms OR user OR client) NEAR2 ((send\$4 OR forward\$4 OR transmi\$6) NEAR2 (address OR id OR identification OR profile))) WITH (movement OR mov \$4 OR handoff OR (hand \$4 NEAR off) OR handover OR (hand\$4 NEAR over))) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/06/30 12:27
S112	28	S111 NOT S110	US- PGPUB; USPAT	OR	ON	2008/06/30 12:28

S113	101	("370"/\$.CCLS.) AND ((substitut\$6 OR replac\$6) NEAR (ip OR network\$4) NEAR address) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/07/02 14:13
S114	1	("370"/\$.CCLS.) AND (((substitut\$6 OR replac \$6) NEAR (ip OR network \$4) NEAR address) WITH (own NEAR3 address)) AND @ad<"20021009"	US- PGPUB; USPAT	OR	ON	2008/07/02 14:14

7/ 2/ 2008 6:11:28 PM

C:\ Documents and Settings\ jsmith1\ My Documents\ EAST\ Workspaces\ ap10\_530\_540.  
wsp